
# Tuffile


ADA DETECTABLE WARNING PRODUCTS

### GALVANIZED STEEL 10 GAUGE





### **TufTile**®



# The Latest Innovation in ADA Detectable Warning Tiles

#### **GALVANIZED BENEFITS**

Half the weight of cast iron for faster and easier installation and greater shipping efficiencies.

#### PREMIUM PERFORMANCE

Long-term durability for heavy pedestrian traffic, high-abuse areas, and snow removal.

#### **SUPERIOR COLOR & PROTECTION**

In-house powder coating system with superior UV and slip-resistant finish.

#### **10-YEAR WARRANTY**

For full warranty information visit www.tuftile.com.

#### **PRODUCT ASSORTMENT**

Available in seven standard sizes and 20 radius capabilities 9R-70R. Single tile installations for 4' and 5' wide curb ramps. Available in wet-set and surface-applied.

#### **STOCK ITEM**

Able to meet any standard size and color order.


#### **ADA COMPLIANT**

Complies with ADA Accessibility Guidelines (ADAAG) for Public Rights-Of-Way (July 26, 2011).

Meets Buy America Act 23 C.F.R. § 635.410.







## TUFTILE IN-HOUSE POWDER COATING ADVANTAGE

TufTile's powder-coating process is specifically designed for detectable warning tiles.

- Six high-pressure prep and wash stages ensure superior adhesion
- UV and slip-resistant finish
- Tile Sizes: 1'x1', 1'x3', 2'x1', 2'x2', 2'x3', 2'x4', 2'x5'
- Over 20 radius configurations up to 70R





#### **Colors Available**





















#### FOR EXAMPLE PURPOSES ONLY.

The EasyArc Radius Calculator quickly identifies the radius size closest to your project plans and creates a drawing and list of the TufTile radius components and quantities needed. TufTile wedges and tiles are arranged side-by-side to form up to 20 radius configurations ranging from 9R to 70R.



1

CHOOSE YOUR MATERIAL AND UNIT OF MEASUREMENT

2

ENTER THE RADIUS [A]
OR HEIGHT [B]

3

ENTER THE CHORD [C]
OR ARC LENGTH [D]

Try it now at www.tuftile.com/radiuscalculator

Email All Orders To: sales@tuftile.com

Contact Customer Service: 1-888-960-8897

View the entire TufTile product portfolio at tuftile.com